



CANL110NO40

Information Guide



Table of Contents

- 1. Safety Precautions..... 2
- 2. Specifications..... 2
- 3. Quick Start Guide – CANL110NO40 3
- 4. CANL110NO40 Dimensions, Bracket Placement, and Mounting Orientation 4
- 5. CANL110NO40 Example Use Case Schematics..... 6
- 6. Recommended Wire Sizes and Gauges Chart 7
- 7. Wiring Schematic 8
 - 7.1 Active MCP Pinout..... 8
 - 7.2 System Setup WITHOUT a Shunt 8
 - 7.3 System Setup WITH a Shunt..... 8
- 8. DC-DC Charger..... 9
 - 8.1 Measured Voltage 9
 - 8.2 Delay Switch 10
 - 8.3 Off-Delay 10
 - 8.4 On-Delay 10
 - 8.5 Ignition Signal 10
- 9. Battery Management System 11
- 10. Safety Tips 11
- 11. Longevity Tips 12
- 12. Tips for Use 12
- 13. Maintenance Tips..... 12

1. Safety Precautions

WARNING


- ❑ Avoid mechanical shock.
- ❑ Avoid direct sunlight exposure.
- ❑ Do not store or mount batteries in incorrect orientations.
- ❑ Do not transport the battery unsecured.
- ❑ Do not expose the battery to water.
- ❑ Do not expose the battery to fire.
- ❑ Do not pierce the battery.
- ❑ Do not disassemble.
- ❑ Do not drill into the battery enclosure.
- ❑ Do not short battery terminals.
- ❑ Do not connect multiple batteries in a series configuration.
- ❑ Do not charge the battery outside the range of 0°C – 45°C.
- ❑ Do not store below -20°C or above 60°C.
- ❑ Risk of burns if misused.
- ❑ Always follow safe working practices.
- ❑ Installation of this device must only be carried out by appropriately qualified competent person(s).
- ❑ All connections must be fused at recommended fuse ratings to avoid damage to components.
- ❑ All minimum cable gauges and maximum lengths must be followed.

2. Specifications

Cell Type	Lithium Ferrous Phosphate
Total Capacity	110Ah
Nominal Voltage	12.8V
Charge Voltage	13.8 – 14.6V
Float Voltage	13.6V
Charge Current	100A
Discharge Current	100A Continuous
	200A Surge
DC-DC Charger	40A
Operating Temp	0°C – 45°C
Dimensions (LxWxD)	783mm x 262mm x 50mm

Table 1 CANL110NO40 Power Node Specifications

3. Quick Start Guide – CANL110NO40



12V NEGATIVE OUT (Threaded Connection)

M6 threads intended for 6mm lugs for load and input negatives. If there is no Shunt in system, connect DCDC negative pin from PIN 20 directly to this stud. If there is a Shunt in the system, connect PIN 20 to "system" side of Shunt.

12V POSITIVE OUT (Threaded Connection)

M6 thread intended for 6mm lugs for load outputs and input channel to charge the battery using a lithium-compatible battery charger.
Charge Current:
 100A Maximum
Discharge Current:
 100A continuous
 200A surge (1 secs @ 25°C Ambient)

21 WAY MULTI-CONTACT POINT (MCP) CONNECTOR

The MCP Connector is your access point to the internal features of the battery. Connection to the individual Lithium Cell voltage readings can be used for servicing the battery and fault finding – these correspond to PIN 14 through to PIN 17 – **DO NOT TOUCH THESE PINS**. Other active MCP Pins are outlined in the table below.

ACTIVE MCP PINOUT

PIN 18	DCDC 1 +VE
PIN 19	DCDC 2 +VE
PIN 20	DCDC -VE
PIN 21	IGNITION SENSE




Table 2 Active MCP Pinout with Male Connector Pin Layout

Figure 1 Power Node Connection Description

4. CANL110NO40 Dimensions, Bracket Placement, and Mounting Orientation




Figure 2 CANL110NO40 Power Node Dimensions

CORRECT MOUNTING BRACKET CONFIGURATION	
Using Kit 10018 (Optional)	
<p>WALL MOUNT</p>	<p>FLOOR MOUNT</p>
<p>BRACKET MOUNTING OPTIONS</p>	<p>SELECTOR SWITCH</p>
Mounting Schematic	
<p>**MOUNTING HOLES THAT ARE SAFE TO MOUNT ARE OUTLINED ABOVE IN RED.**</p>	
<p>**MOUNTING BRACKETS MUST NOT BE MOUNTED WITH SELECTOR SWITCHES FACING DOWN.**</p>	


Table 3 Example Mounting Bracket Placement

Product Number	Version	Version Date
CANL110NO40	RX	13 – NOVEMBER – 2023


This document is electronically controlled. Any printed copies of this document may be used for reference but unless they are clearly marked as "Controlled Document" they are to be treated as uncontrolled documents.

EXAMPLE MOUNTING ORIENTATIONS


CORRECT Mounting Orientation



Vertical on long edge with terminals pointing towards the sky.




Flat mounting orientation.




Vertical on short edge with terminals pointing towards the sky.

INCORRECT Mounting Orientation



Vertical on long edge with terminals pointing towards the ground.



Vertical on short edge with terminals pointing towards the ground.

Please Note: Rotary selector switches should ideally be set before installation of the Power Node as access may be difficult after installation. Please see pages 9 and 10 for details on the rotary selector switch position settings.

Table 4 Power Node Mounting Orientation

Product Number	Version	Version Date
CANL110NO40	RX	13 – NOVEMBER – 2023

This document is electronically controlled. Any printed copies of this document may be used for reference but unless they are clearly marked as "Controlled Document" they are to be treated as uncontrolled documents.

5. CANL110NO40 Example Use Case Schematics

Please Note: This is for illustration purposes only and is **NOT** intended to be used as a guide for installation.




Figure 3 Example Use Case of Power Node

Product Number	Version	Version Date
CANL110NO40	RX	13 – NOVEMBER – 2023

This document is electronically controlled. Any printed copies of this document may be used for reference but unless they are clearly marked as "Controlled Document" they are to be treated as uncontrolled documents.

6. Recommended Wire Sizes and Gauges Chart

The below table represents the recommended wire sizes/ gauges, for battery installation into vehicles.

DCDC Capacity / Cable	Recommended Wire Size/ Gauge Figure 8 Cable	Recommended Wire Length
DC-DC 20A	8 B&S/AWG (CSA 7.71mm ²)	1m- Up to/ Maximum 5m
DC-DC 40A	6 B&S/AWG (CSA 13.5mm ²)	1m – Up to/ Maximum 5m
Ignition Sense Cable	18-14 B&S/AWG (CSA 0.64mm ² – 1.84mm ²) (Running a max of 1-2 Amps)	1m – Up to/ Maximum 6m
Main Positive +	6 B&S/AWG (CSA 13.5mm ²) 80A – 120A	1m – Up to/ Maximum 4m
Main GND –	6 B&S/AWG (CSA 13.5mm ²) 80A – 120A	1m – Up to/ Maximum 4m


Table 5 Recommended Wire Sizes and Gauges

Please Note: These wire gauges are suggested to mitigate the voltage drop along the cable. It is recommended that you check the voltage at the battery’s DC-DC input and alter charger selector switches accordingly.

7. Wiring Schematic

7.1 Active MCP Pinout

PIN 18	DCDC 1 +VE
PIN 19	DCDC 2 +VE
PIN 20	DCDC -VE
PIN 21	IGNITION SENSE



Male Connector Pin Layout (Wire Entry Side)

Table 6 Active MCP Pinout with Male Connector Pin Layout

Please Note: The following diagrams of system setups with and without Shunt are for illustration purposes only and is **NOT** intended to be used as a guide.

7.2 System Setup WITHOUT a Shunt




Figure 4 Example Wiring Schematic of System Setup WITHOUT a Shunt

7.3 System Setup WITH a Shunt




Figure 5 Example Wiring Schematic of System Setup WITH a Smart Shunt

8. DC-DC Charger

The DC-DC charger in the Power Hub allows the battery to charge from a vehicle engine/alternator/start battery. However, to prevent the depletion of the start battery, it is essential to limit charging to when the engine is actively running.

In some scenarios, determining when the engine is actively operating can be challenging. As a solution, the DC-DC charger uses a combination of inputs to decide when to initiate charging (turn ON) and when to cease charging (turn OFF). The primary goals of the charger are:

- ❑ Ensuring that charging occurs only when the engine is actively running, to maximise charging of the Power Node.
- ❑ Preventing charging when the engine is not running to avoid discharging the vehicle’s start/cranking battery.

The logic for controlling when to activate or deactivate the DC-DC charger is executed through specialised software running on a microcontroller. This software allows for advanced control by considering several inputs including:

- ❑ Start battery voltage.
- ❑ Ignition signal voltage.
- ❑ Timing delays.
- ❑ Positions of 2 x 7-position (0-6) rotary switches: user-accessible from outside the battery.

8.1 Measured Voltage

The vehicle’s start battery/alternator voltage will be measured with high precision, accurate to $\pm 0.1V$ or better, and used as a reference for comparison with the ON and OFF levels.

The DC-DC Charger will be activated (start charging) when the **Measured Voltage** goes ABOVE the **ON Level**. Thereafter it will deactivate after the **Measured Voltage** goes BELOW the **OFF Level**.

The OFF level is lower than the ON Level by 1.0V; this forms a “dead-band” where the charger will simply remain in the same state (i.e., remain ON if already ON, and remain OFF if already OFF).

ON and OFF Levels can be selected by the user/installer by choosing the corresponding position on the **Voltage Switch**, which is the lower rotary switch accessible from the outside of the battery indicated by the image below:

Voltage Switch Position	ON Level	OFF Level	Application
0	11.0	10.0	Always on: Ignition Relay/Signal
1	12.0	11.0	When dealing with extended lengths of thin cable, it is IMPORTANT to consider voltage drops . It is recommended to measure the voltage at both the battery and at the end of the connected cabling. Please see the table on page 9 for recommended cable gauges
2	13.0	12.0	
3	13.3	12.3	
4	13.5	12.5	
5	13.7	12.7	
6	14.0	13.0	




Figure 6 Left Rotary Switch for Measured Voltage Applications outlined in RED.

Table 7 Measured Voltage Switch Position Table

8.2 Delay Switch

Delay times can be selected by the user/installer by choosing the corresponding position on the **Delay Switch**, which is the higher rotary switch accessible from the outside of the battery indicated in the image below:

Delay Switch Position	Delay OFF Time	Application
0	0 sec	Traditional Alternator, or Ignition Relay
1	30 sec	Vehicles with Smart Alternators
2	1 min	
3	1.5 min	
4	3 min	
5	5 min	
6*	0 sec	<i>Ignition signal control</i>



Figure 7 Right Rotary Switch for Off Delay Applications outlined in RED.

Table 8 Off Delay Switch Position Table

8.3 Off-Delay

After the measured voltage falls BELOW the OFF level, the DC-DC charger will incorporate a delay before turning off (ceasing to charge). This delay is implemented to accommodate smart alternators, which may lower the voltage for brief periods of time (duration may vary based on the drive cycle, vehicle model, and other factors).

During this delay period where the voltage has gone BELOW the OFF level and the DC-DC charger is “waiting” to turn OFF, the status LED will flash to indicate that it will turn off soon.

If the voltage rises ABOVE the ON level within this delay period, the timer will reset, and the DC-DC charger will stay on.

8.4 On-Delay

If the Ignition Signal is selected (position **6** on the **Delay Switch**) the DC-DC charger will wait **15 seconds** before turning ON. This delay prevents placing extra load on the start battery before and straight after the engine turns on.

8.5 Ignition Signal

If **Position 6** on the **Delay Switch** is selected then the ignition signal (via a separate connection point) will serve as a binary reference (ON or OFF), and there will be no delay. This has 2 benefits:

- ❑ The ignition signal is (usually) a reliable indicator that the engine is running.
- ❑ Voltage drop along the positive power cable is avoided.

The default setting for most applications is 0 on the voltage switch and 6 on the delay switch, this enables DC-DC charging operation to be ON whenever the Ignition is on.

Note that even if the ignition input is used for the measured voltage, there will still be a voltage drop along the negative path to the start battery. If this path is via the vehicle chassis, then voltage drop is likely to be negligible; however, if this negative path is via a long and/or thin cable, then voltage drop may still be a factor.

9. Battery Management System

The Power Bank is equipped internally with a Battery Management System (BMS), which is an electronic solid-state circuit board that serves multiple important functions:

- ❑ Battery Cell Management: The BMS manages and maintains the cells within the battery.
- ❑ Safety Measures: The BMS provides safeguards that protect against overcharging and over-discharging and activates in response to situations where the battery is producing low voltage (<10.5V), overcurrent (>100A), or short-circuit situations.
- ❑ Cell Balancing: The BMS ensures that the Power Bank cells are equalised throughout its operation to promote overall efficiency and longevity.
- ❑ Cell Temperature Sensing. If the BMS detects the temperature of the cells to be above 45°C, it will automatically stop charging and discharging until the temperature has returned within the range of 0°C – 45°C.

Unlike lead-acid batteries, overcharging or over-discharging a lithium battery may lead to a hazardous scenario, therefore, the BMS is essential to the lithium battery.

10. Safety Tips

The battery contains Lithium Ferrous Phosphate (LiFePO₄) cells, considered to be the safest of all lithium-ion chemistries. The battery consists of a large amount of stored energy. Please follow these safety tips for use and operation:

- ❑ Ensure the battery is secured safely before travel.
- ❑ Do not drill into the enclosure. Doing so may inadvertently puncture one of the internal cells.
- ❑ Do not short-circuit the battery. Be careful not to drop a metallic object across the two exposed terminals. Always keep the terminal caps on the Positive (red) and Negative (black) posts during operation.
- ❑ Do not mount the battery upside down. The battery can also be mounted on its side if mounting upright is not an option. Correct battery mounting positions are shown in Table on page 5.
- ❑ Do not connect multiple batteries in series to raise the voltage. The BMS is not designed to accommodate higher voltages.

11. Longevity Tips

Factors that mainly affect the lifespan of the battery are depth of discharge and operating temperature. To ensure longevity and use of the battery:

- ❑ Do not fully discharge the battery to zero. Each time the battery is discharged to zero, either intentionally or unintentionally, it reduces the lifespan of the battery.
- ❑ Do not discharge the battery below 80% depth of discharge (i.e., 20% full).
- ❑ Do not charge the battery outside the range 0°C - 45°C to maximize the life of the battery and avoid damage to the cells.
- ❑ Avoid exposing the battery to direct sunlight, mount the battery in a compartment or undercover.

The cells are designed to last 2,000 cycles at 80% DOD (Depth of Discharge) and 5,000 cycles at 50% DOD.

12. Tips for Use

- ❑ Batteries of the same voltage may be placed in parallel to increase storage capacity. However, each battery should be independently fused, and the battery must be from **CANGOEE**.
- ❑ If the battery is frozen it is essential to allow the battery to thaw and wait for an appropriate room temperature before connecting power to it.
- ❑ The battery is splash-proof and water resistant but not waterproof, **DO NOT** directly submerge the battery in water.
- ❑ The battery is designed to be housed in a dry, enclosed compartment, not in direct sunlight or exposed to outside weather conditions for an extended period.

13. Maintenance Tips

If not using the battery for a prolonged period (months at a time), then store the battery as follows:

- ❑ Disconnect all loads from the battery so that there is no external current draw.
- ❑ Store the battery close to full capacity (the battery does not need to be at 100%).
- ❑ There is no need to keep the battery on trickle charge. The battery will self-discharge slowly over time.

Within every two months, give the battery a quick recharge to ensure battery longevity.